

# Without measurement there is no control

The BioCapt® Adjustable Height microbial Impactor allows the user to perform microbial air sampling in cleanroom environments for viable particle contamination monitoring.

Available in 3 different flowrate models, the BioCapt Adjustable Height microbial impactor can be used with an external controlled vacuum source at 25, 50 or 100 L/min.

The complete assembly is made of 316L stainless steel, graded for the autoclave sterilization process.

Each impactor has 20 precision-cut radial slits and an adjustable height and plate diameter mechanism, and combines with any agar media plate that has dimensions from 86 to 92 mm and agar heights from 3 to 6 mm.

These versatile dimensions allow the BioCapt Adjustable Height Microbial Impactor to be used with almost all manufactured agar plates on the market, including glass Petri plates.

The 20 radial precision-cut slits ensure laminar flow, making false-positive identification easier and maximizing collection efficiencies for viable particles in accordance with ISO 14698-1.

The BioCapt Adjustable Height is available in multiple configurations, expressly designed for specialized applications such as environmental monitoring and isolator installation. It's an easy fit in your cleanroom sample location space.

Use in combination with Particle Measuring Systems' MiniCapt Mobile and Remote Microbial Samplers, in addition to the Facility Promonitoring system.



### BENEFITS

- Meets ISO 14698-1/Annex B for physical and biological collection efficiencies
- Autoclavable 316L stainless steel
- Optimal slit design ensures microorganisms are undamaged during sampling
- Immediate and easy detection of false-positives
- Adjustable height and diameter mechanism for versatile Petri dish compatibility

## **FEATURES**

- Stainless steel
- Protects Petri dish from unintentional contamination
- Vacuum draws air down over media for sample collection

### **APPLICATIONS**

- Microbial air sampling in cleanrooms and associated controlled environments
- USP 797 environmental viable-airborne particle testing
- Bioburden monitoring of medical device manufacturing environments
- Microbial monitoring of aseptic manufacturing areas
- Inspecting potential areas where sensitive instrumentation and equipment will be installed

# BioCapt® Adjustable Height

Microbial Impactor

Specifications

	25 LPM & 50 LPM	100 LPM	
Material	AISI 316L stainless steel		
Air Inlet	20 radial slits		
Flow Rate	25 LPM / 50 LPM	100 LPM	
Consumables	Agar Petri dish (not provided)		
Agar Plate Dimensions	Diameter: 86 to 92 mm		
	Volume: 18 to 32 ml		
	Depth: 3 to 6 mm		
Vacuum Connection available <sup>1</sup>	1/2 inch side barb fitting	3/4 inch side barb fitting	
	3/4 inch side barb fitting	3/4 inch tri clamp fitting	
	3/4 inch tri clamp fitting		

<sup>&</sup>lt;sup>1</sup> Vacuum connection specification depends on the BioCapt configuration ordered.

# The 100% stainless steel 316L tripod guarantees a high, stable position.

# A simple locking mechanism – just twist after placement!



Side barb fitting impactor head



Isolator stand

With an adjustable height and diameter, it easily fits all available agar plates on the market.



Tri clamp fitting impactor head

### **HEADQUARTERS**

5475 Airport Blvd Boulder, Colorado 80301 USA T: +1 303 443 7100

Instrument Service & Support T: +1 800 557 6363

**Customer Response Center** T: +1 877 475 3317 E: info@pmeasuring.com

www.pmeasuring.com info@pmeasuring.com



### **GLOBAL OFFICES**

T: +43 512 390 500

E: pmsaustria@pmeasuring.com

T: +32 10 23 71 56

E: pmsbelgium@pmeasuring.com

### BRA7II

T: +55 11 5188 8227

E: pmsbrazil@pmeasuring.com

T: +86 21 6113 3600

E: pmschina@pmeasuring.com

T: 33(0)1 60 10 32 96

E: pmsfrance@pmeasuring.com

### **GFRMANY**

T: +49 6151 6671 632

E: pmsgermany@pmeasuring.com

T: +39 06 9053 0130

E: pmssrl@pmeasuring.com

### JAPAN

T: +81 44 589 3498

E: pmsjapan@pmeasuring.com

### **KOREA**

T: +82 31 286 5790

E: pmskorea@pmeasuring.com

# **MEXICO**

T: +52 55 2271 5106

E: pmsmexico@pmeasuring.com

### NORDIC

T: +45 707 028 55

E: pmsnordic@pmeasuring.com

### PUERTO RICO

T: +1 787 718 9096

E: pmspuertorico@pmeasuring.com

### SINGAPORE

T: +65 6496 0330

E: pmssingapore@pmeasuring.com

### **SWITZERLAND**

T: +41 71 987 01 01

E: pmsswitzerland@pmeasuring.com

T: 886-3-5525300 Ext: 301

E: pmstaiwan@pmeasuring.com